

Material Safety Data Sheet

ALKAFLO-550

Revision Date: 26-Mar-07

24-HOUR EMERGENCY
1-800-255-3924

SECTION 1 — CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: **ALKAFLO-550**
General Description: **CONCENTRATED HEAVY DUTY CLEANER**
Company Information: UNICORE TECHNOLOGIES, INC.
P.O. BOX 3877
Turlock, CA 95381
USA
1-209-669-8490

SECTION 2 — COMPOSITION/IDENTITY INFORMATION

| Hazardous Ingredients | CAS Number | % |
|------------------------------------|------------|-------|
| Sodium Hydroxide (50%) | 1310-73-2 | 75-85 |
| Pentasodium Amino Tris-Phosphonate | 2235-43-0 | 2-5 |

SECTION 3 — HAZARDS IDENTIFICATION

This product can cause irritation in eyes, skin, upper respiratory tract and mucous membranes. May be fatal if swallowed.

SECTION 4 — FIRST AID MEASURES

If in Eyes:

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present after the first 5 minutes, then continue rinsing. Contact a physician immediately.

If Swallowed:

Have person sip a glass of water if able to swallow. Do not give anything to an unconscious person. Do not induce vomiting. Contact a physician immediately.

If Breathing Difficulty Occurs:

Move person to fresh air. Contact a physician immediately.

If on Skin:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Contact a physician immediately.

Material Safety Data Sheet

ALKAFLO-550

SECTION 5 — FIREFIGHTING MEASURES

This product is not flammable. Wear self-contained breathing apparatus and protective gear to prevent skin contact with corrosive solutions. Extinguishing Media: Water spray, foam, CO₂, Dry Chemicals.

SECTION 6 — ACCIDENTAL RELEASE MEASURES

Contain spills and dispose of according to federal and local regulations.

SECTION 7 — HANDLING AND STORAGE

Handling: Use proper personal protective equipment as indicated in Section 8. Do not get in eyes, on skin, or on clothing. Use only in well-ventilated areas. Storage: Store in a closed container away from sources of heat. If product becomes frozen, thaw and mix well before use.

SECTION 8 — EXPOSURE CONTROL/PERSONAL PROTECTION

If exposure limits listed in Section 11 are exceeded, use appropriate personal protective equipment.



SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

Appearance: LIQUID
Odor: SLIGHT
Specific Gravity: 1.41
pH (as is): 13.50
Solubility in Water: COMPLETE

Note: The above properties are typical values and are not to be construed as a guaranteed analysis for any specific lot or as specifications for the product.

SECTION 10 — STABILITY AND REACTIVITY

Stability: Stable under ordinary conditions of use and storage.

Hazardous Decomposition: None Known.

Products:

Hazardous Polymerization: Will not occur.

Incompatibilities: Increases in temperature and/or pressure when mixed with strong acids, combustible materials, organic materials, or water. Hydrogen gas formation and possible explosion when in contact with zinc, aluminum, peroxides, or halogenated hydrocarbons.

Conditions to avoid: Product absorbs carbon dioxide from the air. Keep containers sealed and close.

Material Safety Data Sheet

ALKAFLO-550

SECTION 11 — TOXICOLOGICAL INFORMATION

| Chemical Name | OSHA Permissible Exposure Limit (PEL) | ACGIH Threshold Limit Value (TLV) |
|------------------|---------------------------------------|-----------------------------------|
| Sodium Hydroxide | 2 mg/m ³ | 1 mg/m ³ TWA |

SECTION 12 — ECOLOGICAL INFORMATION

Ecotoxicity: This product is expected to be fatal to aquatic life.
Environmental Fate: No data available.

SECTION 13 — DISPOSAL CONSIDERATIONS

Dispose of in a manner consistent with federal, state, and local regulations.

SECTION 14 — TRANSPORTATION INFORMATION

U.S. Department of Transportation (DOT) Classification:

Proper Shipping Name: Corrosive Liquid, Basic, Inorganic NOS
(Sodium Hydroxide)
Hazard Class: 8
UN Number: 3266
Packing Group: II

Canadian Transportation of Dangerous Goods (TDG) Regulations:

Identical to U.S. DOT above.

International maritime Dangerous Goods (IMDG) Code:

Identical to U.S. DOT above.

International Air Transport Association (IATA) Dangerous Goods Regulations:

Identical to U.S. DOT above.

SECTION 15 — REGULATORY INFORMATION

Hazard Symbol(s): Corrosive
Risk Phrase(s): R21 Harmful if in contact with skin.
R22 Harmful if swallowed.
R34 Causes Burns.

Material Safety Data Sheet

ALKAFLO-550

SECTION 16 — OTHER INFORMATION

Reason for Revision: Updated Format
Prepared by: Unicore Technologies, Inc.

Disclaimer: **Unicore Technologies, Inc.** believes that the data contained herein is factual and the opinions expressed are those of qualified experts the information presented. However, the information is not to be taken as a warranty or representation for which **Unicore Technologies, Inc.** assumes legal responsibility. This data is offered solely for your information in accordance with applicable Federal, State, and Local laws and regulations.